

**KHI ESTIMATES**



Submission Date		N/A											
Date of Plan		N/A							O & P				
Comments		N/A											
Base Bid		N/A											

www.khiestimates.com      info@khiestimates.com      +1 201 425 4565      **KHI ESTIMATES**

SR #	Drawing #	Detail #	DESCRIPTION	UNIT	QUANTITY	WASTAGE	QUANTITY W/ WASTAGE	UNIT MANHOUR	HOURLY WAGE	LABOR COST	MAT. COST	UNIT COST	SUB COST
------	-----------	----------	-------------	------	----------	---------	---------------------	--------------	-------------	------------	-----------	-----------	----------

**FINISHES**

			<b>DRY WALL ASSEMBLIES</b>										
			<b>LOWER LEVEL FLOOR PLAN</b>										
			<b>16 GA 3-5/8" Cold Formed Metal Furring Wall @ CMU Walls</b>	<b>LF</b>	<b>306</b>								
1		<b>A325/8</b>	5/8" Glass Mat Faced Mold and Moisture Resistant Gypsum Sheathing	SF	2754	10%	3029	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
2			5/8" Gyps	SF	2754	10%	3029	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
3			Continuou	SF	2754	10%	3029	0.015	\$ -	\$ -	\$ -	\$ -	\$ -
4			16 Ga. 3-5/8"	SF	2754	10%	3029	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
			<b>M12: Furring Wall @ 7 5/8" Interior CMU Wall (1-HR):</b>	<b>LF</b>	<b>64</b>				\$ -	\$ -	\$ -	\$ -	\$ -
5			5/8" Gyps	SF	768	10%	845	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
6			3 5/8" Me	SF	768	10%	845	0.024	\$ -	\$ -	\$ -	\$ -	\$ -

7	Sound Att	SF	768	10%	845	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
8	1/4" Cont	LF	256	10%	282	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
	<b>M01: Furrin g Wall @ 10 3/4" Interio r CMU Wall :</b>	<b>LF</b>	<b>106</b>				\$ -	\$ -	\$ -	\$ -	\$ -
9	5/8" Gyps	SF	954	10%	1049	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
10	3 5/8" Me	SF	954	10%	1049	0.024	\$ -	\$ -	\$ -	\$ -	\$ -
11	Sound Att	SF	954	10%	1049	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
12	1/4" Cont	LF	424	10%	466	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
	<b>M02: Furrin g Wall @ 7 5/8" Interio r CMU Wall:</b>	<b>LF</b>	<b>36</b>				\$ -	\$ -	\$ -	\$ -	\$ -
13	5/8" Gyps	SF	324	10%	356	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
14	3 5/8" Me	SF	324	10%	356	0.024	\$ -	\$ -	\$ -	\$ -	\$ -
15	Sound Att	SF	324	10%	356	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
16	1/4" Cont	LF	144	10%	158	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
	<b>M03&amp; 4: Furrin g Wall @ 1' Th. Interio r CMU Wall:</b>	<b>LF</b>	<b>289</b>				\$ -	\$ -	\$ -	\$ -	\$ -
17	5/8" Gyps	SF	2601	10%	2861	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
18	3 5/8" Me	SF	2601	10%	2861	0.024	\$ -	\$ -	\$ -	\$ -	\$ -
19	Sound Att	SF	2601	10%	2861	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
20	1/4" Cont	LF	1156	10%	1272	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
	<b>M05: Furrin g Wall @ 10 3/4" Interio r CMU Wall :</b>	<b>LF</b>	<b>67</b>				\$ -	\$ -	\$ -	\$ -	\$ -

21		5/8" Gypsum Board On Interior Sides	SF	804	10%	884	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
22		3 5/8" Me	SF	804	10%	884	0.024	\$ -	\$ -	\$ -	\$ -	\$ -
23		Sound Att	SF	804	10%	884	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
24		1/4" Cont	LF	268	10%	295	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
		<b>M11: Furring Wall @ 10 3/4" Interior CMU Wall (1-HR):</b>	<b>LF</b>	<b>80</b>				\$ -	\$ -	\$ -	\$ -	\$ -
25		5/8" Gyps	SF	960	10%	1056	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
26		3 5/8" Me	SF	960	10%	1056	0.024	\$ -	\$ -	\$ -	\$ -	\$ -
27		Sound Att	SF	11520	10%	12672	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
28		1/4" Cont	LF	320	10%	352	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
		<b>M15: Furring Wall @ 10 5/8" Interior CMU Wall (1-HR):</b>	<b>LF</b>	<b>13</b>				\$ -	\$ -	\$ -	\$ -	\$ -
29	<b>A100/ LOWE R LEVEL PLAN</b>	5/8" Gyps	SF	13	10%	14	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
30		3 5/8" Me	SF	156	10%	172	0.024	\$ -	\$ -	\$ -	\$ -	\$ -
31		Sound Att	SF	156	10%	172	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
32		1/4" Cont	LF	52	10%	57	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
			<b>M17: Furring Wall @ 1'-2 3/4" Interior CMU Wall (1-HR):</b>	<b>LF</b>	<b>8</b>				\$ -	\$ -	\$ -	\$ -
33		5/8" Gyps	SF	96	10%	106	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
34		3 5/8" Me	SF	96	10%	106	0.024	\$ -	\$ -	\$ -	\$ -	\$ -
35		Sound Att	SF	96	10%	106	0.020	\$ -	\$ -	\$ -	\$ -	\$ -

**A001/ GENERAL PARTITION TYPES**

		<b>C1: 3 1/8" Cold Forme d Metal Framin g Interio r Wall :</b>	LF	5						\$ -	\$ -	\$ -	\$ -	\$ -
36	5/8" Gyps	SF	45	10%	50	0.018				\$ -	\$ -	\$ -	\$ -	\$ -
37	2 1/2" Me	SF	45	10%	50	0.024				\$ -	\$ -	\$ -	\$ -	\$ -
38	1 1/2" Ac	SF	45	10%	50	0.020				\$ -	\$ -	\$ -	\$ -	\$ -
39	Continuot	LF	5	10%	6	0.018				\$ -	\$ -	\$ -	\$ -	\$ -
40	1/4" Cont	LF	20	10%	22	0.010				\$ -	\$ -	\$ -	\$ -	\$ -
		<b>C2: 3 3/4" Cold Forme d Metal Framin g Interio r Wall :</b>	LF	14						\$ -	\$ -	\$ -	\$ -	\$ -
41	(2) 5/8" G	SF	224	10%	246	0.018				\$ -	\$ -	\$ -	\$ -	\$ -
42	2 1/2" Me	SF	112	10%	123	0.024				\$ -	\$ -	\$ -	\$ -	\$ -
43	1 1/2" Ac	SF	112	10%	123	0.020				\$ -	\$ -	\$ -	\$ -	\$ -
44	Continuot	LF	14	10%	15	0.018				\$ -	\$ -	\$ -	\$ -	\$ -
45	1/4" Cont	LF	56	10%	62	0.010				\$ -	\$ -	\$ -	\$ -	\$ -
		<b>C3: 4" Cold Forme d Metal Framin g Interio r Wall :</b>	LF	5						\$ -	\$ -	\$ -	\$ -	\$ -
46	5/8" Gyps	SF	45	10%	50	0.018				\$ -	\$ -	\$ -	\$ -	\$ -
47	3 5/8" Me	SF	45	10%	50	0.024				\$ -	\$ -	\$ -	\$ -	\$ -
48	1 1/2" Ac	SF	45	10%	50	0.020				\$ -	\$ -	\$ -	\$ -	\$ -
49	Continuot	LF	5	10%	6	0.018				\$ -	\$ -	\$ -	\$ -	\$ -
50	1/4" Cont	LF	20	10%	22	0.010				\$ -	\$ -	\$ -	\$ -	\$ -



75		1/4" Cont	LF	544	10%	598	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
		<b>Note: Assembly is Assumed, no details are given</b>						\$ -	\$ -	\$ -	\$ -	\$ -
		<b>2x4 Inte</b>	<b>LF</b>	<b>123</b>				\$ -	\$ -	\$ -	\$ -	\$ -
76		5/8" Gyps	SF	1107	10%	1218	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
77		3 5/8" Me	SF	1107	10%	1218	0.024	\$ -	\$ -	\$ -	\$ -	\$ -
78		1 1/2" Ac	SF	1107	10%	1218	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
79		Continuou	LF	123	10%	135	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
80		1/4" Cont	LF	492	10%	541	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
		<b>Note: Assembly is Assumed, no details are given</b>						\$ -	\$ -	\$ -	\$ -	\$ -
		<b>RST FLOOR PLA</b>						\$ -	\$ -	\$ -	\$ -	\$ -
		<b>16 GA 6</b>	<b>LF</b>	<b>15</b>				\$ -	\$ -	\$ -	\$ -	\$ -
81		5/8" Glass Mat Faced Mold and Moisture Resistant Gypsum Sheathin g at Exterior Side	SF	270	10%	297	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
82		5/8" Gyps	SF	270	10%	297	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
83		R-19 Batt	SF	270	10%	297	0.019	\$ -	\$ -	\$ -	\$ -	\$ -
84		Continuou	SF	270	10%	297	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
85		6" 16Ga.	SF	270	10%	297	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
86		Continuou	LF	30	10%	33	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
87		Horizonta	LF	68	10%	74	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
		<b>16 GA 6</b>	<b>LF</b>	<b>146</b>				\$ -	\$ -	\$ -	\$ -	\$ -
88		5/8" Glass Mat Faced Mold and Moisture Resistant Gypsum Sheathin g at Exterior Side	SF	2555	10%	2811	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
89		(2) 5/8" G	SF	5110	10%	5621	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
90		R-19 Batt	SF	525	10%	578	0.019	\$ -	\$ -	\$ -	\$ -	\$ -
91		Continuou	SF	2555	10%	2811	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
92		6" 16Ga.	SF	1181	10%	1299	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
93		6" 16Ga.	LF	292	10%	321	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
94		Continuou	LF	292	10%	321	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
95		Horizonta	LF	639	10%	703	0.03	\$ -	\$ -	\$ -	\$ -	\$ -
		<b>16 GA 6</b>	<b>LF</b>	<b>574</b>				\$ -	\$ -	\$ -	\$ -	\$ -

AL SECT

96	5/8" Glass Mat Faced Mold and Moisture Resistant Gypsum Sheathing at Exterior Side	SF	7456	10%	8201	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
97	5/8" Gyps	SF	7456	10%	8201	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
98	R-19 Batt	SF	7456	10%	8201	0.019	\$ -	\$ -	\$ -	\$ -	\$ -
99	Continuou	SF	7456	10%	8201	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
100	6" 16Ga.	SF	7456	10%	8201	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
101	6" 16Ga.	LF	1148	10%	1263	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
102	3- 5/8" M	SF	497	10%	546	0.024	\$ -	\$ -	\$ -	\$ -	\$ -
103	3-5/8" 20	LF	1148	10%	1263	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
104	Horizontal	LF	1740	10%	1914	0.03	\$ -	\$ -	\$ -	\$ -	\$ -
105	Continuou	LF	1148	10%	1263	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
	<b>A1: 6-1/8" Metal Stud Interior Partition Wall (20Ga) :</b>	<b>LF</b>	<b>34</b>				\$ -	\$ -	\$ -	\$ -	\$ -
106	(2) 5/8" G	SF	1632	10%	1795	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
107	3-5/8" Me	SF	408	10%	449	0.024	\$ -	\$ -	\$ -	\$ -	\$ -
108	3 1/2" So	SF	408	10%	449	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
109	Top & Bc	LF	68	10%	75	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
110	1/4" Cont	LF	136	10%	150	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
	<b>A2V: 8-1/2" Metal Stud Interior Partition Wall (20Ga) :</b>	<b>LF</b>	<b>57</b>				\$ -	\$ -	\$ -	\$ -	\$ -
111	(2) 5/8" G	SF	2736	10%	3010	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
112	6" Metal S	SF	684	10%	752	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
113	3 1/2" So	SF	684	10%	752	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
114	Top & Bc	LF	114	10%	125	0.018	\$ -	\$ -	\$ -	\$ -	\$ -

115	A101/ FIRST FLOOR PLAN	1/4" Cont	LF	228	10%	251	0.010	\$ -	\$ -	\$ -	\$ -	\$ -		
		Note: Special Finish Thickness Allowance Added to Partition							\$ -	\$ -	\$ -	\$ -	\$ -	
			A5: 6" Cold Formed Metal Framing Wall (2-HR)	LF	113				\$ -	\$ -	\$ -	\$ -	\$ -	
116			(2) 5/8" Glass Mat Faced Mold and Moisture Resistant Gypsum Sheathing at Exterior Side	SF	1978	10%	2175	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
117			(2) 5/8" G	SF	3955	10%	4351	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
118			3 1/2" Sov	SF	1978	10%	2175	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	
119			Continuou	SF	1978	10%	2175	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
120			6" Metal S	SF	1978	10%	2175	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	
121			6" 16Ga.	LF	226	10%	249	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
122			Fire Rated	LF	226	10%	249	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
			G03: 7-	LF	49				\$ -	\$ -	\$ -	\$ -	\$ -	
123			5/8" Gyps	SF	1232	10%	1355	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
124			6" Metal S	SF	616	10%	678	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	
125			1 1/2" Ac	SF	616	10%	678	0.020	\$ -	\$ -	\$ -	\$ -	\$ -	
126			6" Contin	LF	98	10%	108	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
127			1/4" Cont	LF	56	10%	62	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
		A001/ GENER AL PARTIT ION TYPES	C3: 4" Cold Formed Metal Framing Interior Wall: (20Ga)	LF	8				\$ -	\$ -	\$ -	\$ -	\$ -	
128				5/8" Gyps	SF	96	10%	106	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
129				3 5/8" Me	SF	96	10%	106	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
130				1 1/2" Ac	SF	96	10%	106	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
131				Continuou	LF	16	10%	18	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
132				1/4" Cont	LF	32	10%	35	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
				C3V: 4'	LF	4				\$ -	\$ -	\$ -	\$ -	\$ -



133	5/8" Gyps	SF	56	10%	62	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
134	3 5/8" Me	SF	56	10%	62	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	
135	1 1/2" Ac	SF	56	10%	62	0.020	\$ -	\$ -	\$ -	\$ -	\$ -	
136	3-5/8" Co	LF	8	10%	9	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
137	1/4" Cont	LF	16	10%	18	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
	<b>Note: Special Finish Thickness Allowance Added to Partition</b>						\$ -	\$ -	\$ -	\$ -	\$ -	
	<b>C5V: 6</b>	<b>LF</b>	<b>5</b>				\$ -	\$ -	\$ -	\$ -	\$ -	
138	5/8" Gyps	SF	60	10%	66	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
139	6" Metal S	SF	60	10%	66	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	
140	1 1/2" Ac	SF	60	10%	66	0.020	\$ -	\$ -	\$ -	\$ -	\$ -	
141	Continuou	LF	10	10%	11	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
142	1/4" Cont	LF	20	10%	22	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
	<b>Note: Special Finish Thickness Allowance Added to Partition</b>						\$ -	\$ -	\$ -	\$ -	\$ -	
	<b>G03V: 7</b>	<b>LF</b>	<b>138</b>				\$ -	\$ -	\$ -	\$ -	\$ -	
143	5/8" Gyps	SF	3312	10%	3643	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
144	6" Metal S	SF	1656	10%	1822	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	
145	1 1/2" Ac	SF	1656	10%	1822	0.020	\$ -	\$ -	\$ -	\$ -	\$ -	
146	Continuou	LF	276	10%	304	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
147	1/4" Cont	LF	552	10%	607	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
	<b>Note: Special Finish Thickness Allowance Added to Partition</b>						\$ -	\$ -	\$ -	\$ -	\$ -	
	<b>G13V: 7</b>	<b>LF</b>	<b>17</b>				\$ -	\$ -	\$ -	\$ -	\$ -	
148	(2) 5/8" T	SF	952	10%	1047	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
149	6" Metal S	SF	238	10%	262	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	
150	1 1/2" Ac	SF	238	10%	262	0.020	\$ -	\$ -	\$ -	\$ -	\$ -	
151	Continuou	LF	34	10%	37	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
152	1/4" Cont	LF	68	10%	75	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
	<b>Note: Special Finish Thickness Allowance Added to Partition</b>						\$ -	\$ -	\$ -	\$ -	\$ -	
	<b>G02: 4-</b>	<b>LF</b>	<b>20</b>				\$ -	\$ -	\$ -	\$ -	\$ -	
153	5/8" Gyps	SF	480	10%	528	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
154	3 5/8" Me	SF	240	10%	264	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	
155	1 1/2" Ac	SF	240	10%	264	0.020	\$ -	\$ -	\$ -	\$ -	\$ -	
156	Continuou	LF	40	10%	44	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
157	1/4" Cont	LF	80	10%	88	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
	<b>S16: 5"</b>						<b>LF</b>	<b>28</b>			\$ -	\$ -
158	(2) 5/8" G	SF	672	10%	739	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
159	3 5/8" Me	SF	672	10%	739	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	
160	3-5/8" Co	LF	56	10%	62	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
161	Sound Att	SF	336	10%	370	0.022	\$ -	\$ -	\$ -	\$ -	\$ -	
162	Continuou	LF	28	10%	31	0.019	\$ -	\$ -	\$ -	\$ -	\$ -	
163	1/4" Cont	LF	112	10%	123	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
164	1" Gypsu	LF	336	10%	370	0.035	\$ -	\$ -	\$ -	\$ -	\$ -	
	<b>C4: 4 7/</b>						<b>LF</b>	<b>203</b>			\$ -	\$ -
165	(2) 5/8" G	SF	3248	10%	3573	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
166	3 5/8" Me	SF	1624	10%	1786	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	
167	1 1/2" Ac	SF	1624	10%	1786	0.020	\$ -	\$ -	\$ -	\$ -	\$ -	
168	Continuou	LF	406	10%	447	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
169	1/4" Cont	LF	812	10%	893	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
	<b>C6: 7 1/</b>						<b>LF</b>	<b>42</b>			\$ -	\$ -
170	(2) 5/8" G	SF	672	10%	739	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
171	6" Metal S	SF	336	10%	370	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	
172	1 1/2" Ac	SF	336	10%	370	0.020	\$ -	\$ -	\$ -	\$ -	\$ -	
173	Continuou	LF	84	10%	92	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
174	1/4" Cont	LF	168	10%	185	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
	<b>16 GA 6</b>						<b>LF</b>	<b>425</b>			\$ -	\$ -
175	(2) 5/8" T	SF	25645	10%	28209	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
176	R-19 Batt	SF	7438	10%	8181	0.019	\$ -	\$ -	\$ -	\$ -	\$ -	

177		Continuou	SF	7438	10%	8181	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
178		6" Metal S	SF	7438	10%	8181	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
179		6" Contin	LF	850	10%	935	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
180		16 Ga Co	SF	7438	10%	8181	0.028	\$ -	\$ -	\$ -	\$ -	\$ -
181		8" Contin	LF	850	10%	935	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
182		Continuou	LF	1700	10%	1870	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
		<b>2x6 Inte</b>	<b>LF</b>	<b>255</b>				\$ -	\$ -	\$ -	\$ -	\$ -
183		5/8" Gyps	SF	2295	10%	2525	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
184		3 5/8" Me	SF	2295	10%	2525	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
185		1-1/2" Ac	SF	2295	10%	2525	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
186		Continuou	LF	510	10%	561	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
187		1/4" Cont	LF	1020	10%	1122	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
		<b>Note: Assembly is Assumed, no details are given</b>						\$ -	\$ -	\$ -	\$ -	\$ -
		<b>2x4 Inte</b>	<b>LF</b>	<b>250</b>				\$ -	\$ -	\$ -	\$ -	\$ -
188		5/8" Gyps	SF	2250	10%	2475	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
189		3 5/8" Me	SF	2250	10%	2475	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
190		1-1/2" Ac	SF	2250	10%	2475	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
191		Continuou	LF	500	10%	550	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
192		1/4" Cont	LF	1000	10%	1100	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
		<b>Note: Assembly is Assumed, no details are given</b>						\$ -	\$ -	\$ -	\$ -	\$ -
		<b>16 GA</b>	<b>LF</b>	<b>623</b>				\$ -	\$ -	\$ -	\$ -	\$ -
193		5/8" Glass Mat Faced Mold and Moisture Resistant Gypsum Sheathing at Exterior Side	SF	2492	10%	2741	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
194		3/4" FRT	SF	1246	10%	1371	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
195		R-19 Batt	SF	2492	10%	2741	0.019	\$ -	\$ -	\$ -	\$ -	\$ -
196		Continuou	SF	2492	10%	2741	0.010	\$ -	\$ -	\$ -	\$ -	\$ -
197		16 GA Cold Formed 8" Metal Stud Framing	SF	1869	10%	2056	0.03	\$ -	\$ -	\$ -	\$ -	\$ -
198		16 GA Cold Formed 2 1/2" Metal Stud Framing @ 16" O.C.	SF	3314	10%	3646	0.03	\$ -	\$ -	\$ -	\$ -	\$ -
199		6" Metal S	SF	2492	10%	2741	0.025	\$ -	\$ -	\$ -	\$ -	\$ -
200		6" Contin	LF	1246	10%	1371	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
201		2-1/2" Co	LF	1246	10%	1371	0.018	\$ -	\$ -	\$ -	\$ -	\$ -

202	A 102/ ROOF PLANS	A312/ WALL SECTION	Continuo	LF	2492	10%	2741	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
			<b>16 GA 8</b>	<b>LF</b>	<b>197</b>					\$ -	\$ -	\$ -	\$ -	\$ -
203			5/8" Glass Mat Faced Mold and Moisture Resistant Gypsum Sheathin g at Exterior Side	SF	1444	10%	1588	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
204			3/4" FRT	SF	591	10%	650	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
205			R-19 Batt	SF	1444	10%	1588	0.019	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
206			Continuo	SF	9324	10%	10256	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
207			16 GA Cold Formed 8" Metal Stud Framing	SF	591	10%	650	0.03	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
208			16 GA Cold Formed 2 1/2" Metal Stud Framing @ 16" O.C.	SF	1921	10%	2113	0.03	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
209			6" Metal S	SF	1444	10%	1588	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
210			6" Contin	LF	394	10%	433	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
211			2-1/2" Co	LF	394	10%	433	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
212			Continuo	LF	788	10%	867	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
			<b>8"</b>	<b>LF</b>	<b>491</b>				\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
213			5/8" Glass Mat Faced Mold and Moisture Resistant Gypsum Sheathin g at Exterior Side	SF	6138	10%	6751	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
214			3/4" FRT	SF	982	10%	1080	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
215			R-19 Batt	SF	6138	10%	6751	0.019	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
216			Continuo	SF	6138	10%	6751	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

217			6" Metal S	SF	6138	10%	6751	0.025	\$ -	\$ -	\$ -	\$ -	\$ -	
218			6" Contin	LF	982	10%	1080	0.018	\$ -	\$ -	\$ -	\$ -	\$ -	
219			Horizontal	LF	1534	10%	1688	0.03	\$ -	\$ -	\$ -	\$ -	\$ -	
220			Continuot	LF	1964	10%	2160	0.010	\$ -	\$ -	\$ -	\$ -	\$ -	
			<b>ORING &amp; WALL B</b>							\$ -	\$ -	\$ -	\$ -	\$ -
			<b>FLOORING:</b>							\$ -	\$ -	\$ -	\$ -	\$ -
221		<b>G3</b>	<b>T-01:</b> Floor Tiles <b>Size:</b> 12" x 24"; 10 mm Th <b>Manufa cturer:</b> Ceramic Technics , LTD <b>Model Number</b> : Bari Marble Stone	SF	1690	10%	1859	0.090	\$ -	\$ -	\$ -	\$ -	\$ -	
222		<b>G3</b>	<b>T-04:</b> Floor Tiles; BOH <b>Size:</b> 24" x 24"; 9 mm Th <b>Manufa cturer:</b> Ceramic Technics , LTD <b>Model Number</b> : Porcelain Solutions U.S. Concrete	SF	90	10%	99	0.090	\$ -	\$ -	\$ -	\$ -	\$ -	

223	-200-ID-2	<b>G3</b> <b>T-05:</b> Floor Tiles; BOH <b>Size:</b> 12" x 24"; 9 mm Th <b>Manufacturer:</b> Ceramic Technics, LTD <b>Model Number:</b> Porcelain Solutions U.S. Concrete	SF	500	10%	550	0.090	\$ -	\$ -	\$ -	\$ -	\$ -
224		<b>G3</b> <b>T-07:</b> Floor Tiles <b>Size:</b> 30" x 30"; 10 mm Th <b>Manufacturer:</b> Ceramic Technics, LTD <b>Model Number:</b> Bari Marble Stone	SF	7564	10%	8320	0.090	\$ -	\$ -	\$ -	\$ -	\$ -

225	G3	<b>T-08:</b> Floor Tiles <b>Size:</b> 2" x 30"; 10 mm Th <b>Manufacturer:</b> Ceramic Technics, LTD <b>Model Number:</b> Bari Marble Stone	SF	997	10%	1097	0.090	\$ -	\$ -	\$ -	\$ -	\$ -
226	G3	<b>T-09:</b> Floor Tiles <b>Size:</b> 30" x 30"; 10 mm Th <b>Manufacturer:</b> Ceramic Technics, LTD <b>Model Number:</b> Bari Marble Stone	SF	1857	10%	2043	0.090	\$ -	\$ -	\$ -	\$ -	\$ -

227		<b>C-01:</b> Area Rug @ Vestibule , Prefunction & Corridors <b>Manufacturer:</b> Royal Thai <b>Model No.</b> H550-Design in Progress <b>Colors:</b> (12) Colors <b>Construction:</b> Cut Loop <b>Content:</b> 100% Wool Cotton/ Polyester	SF	350	10%	385	0.090	\$ -	\$ -	\$ -	\$ -	\$ -
228		<b>C-02:</b> Walk Off Mat @ Vestibule ,Prefunction & Corridors <b>Manufacturer:</b> Mats Inc. <b>Model No.</b> Berber Vinyl Back <b>Colors:</b> Sterling <b>Construction:</b> Walk off Matt	SF	43	10%	47	0.088	\$ -	\$ -	\$ -	\$ -	\$ -

229		<b>C-03:</b> Carpet <b>Manufacturer:</b> Royal Thai <b>Model No.</b> AB3090 2436P- Design in Progress <b>Colors:</b> (12) Colors <b>Construction:</b> Woven Axminster <b>Content:</b> 80% Wool, 20% Nylon Polyester/ Polypropylene	SF	12052	10%	13257	0.098	\$ -	\$ -	\$ -	\$ -	\$ -
230		<b>C-04:</b> Carpet @ Bridal & Groom's Room <b>Manufacturer:</b> Royal Thai <b>Model No.</b> AB3090 2436P- Design in Progress <b>Colors:</b> (7) Colors <b>Construction:</b> Woven Axminster	SF	402	10%	442	0.098	\$ -	\$ -	\$ -	\$ -	\$ -



231		<b>C-05:</b> Carpet <b>Manufa</b> <b>cturer:</b> Spinge Cushion Indutries <b>Model</b> <b>No. Tred-</b> <b>Mor</b> 2568 <b>Content:</b> 100% Virgin Enriched SBR Synthetic Rubber <b>Length</b> <b>of Roll:</b> 60'-0"	SF	1501	10%	1651	0.098	\$ -	\$ -	\$ -	\$ -	\$ -
232	cations M	<b>C-06:</b> Carpet Tiles <b>Manufa</b> <b>cturer:</b> Royal Thai <b>Model</b> <b>No.</b> Headlan ds-HL07 Gulf <b>Colors:</b> Gulf <b>Constru</b> <b>ction:</b> Multi- Level Texture Tufted	SF	1070	10%	1177	0.105	\$ -	\$ -	\$ -	\$ -	\$ -

233	-300-ID-3	<b>C-07:</b> Walk Off Mat @ Vestibule , Prefuncti on & Corridors <b>Manufa</b> <b>cturer:</b> Mats Inc. <b>Model</b> <b>No.</b> Berber Vinyl Back <b>Colors:</b> Sterling <b>Size:</b> 5'- 0"Wx9'- 6"L <b>Constru</b> <b>ction:</b> Walk off Matt	SF	48	10%	53	0.088	\$ -	\$ -	\$ -	\$ -	\$ -
234		<b>C-08:</b> Carpet Pad <b>Manufa</b> <b>cturer:</b> Sponge Cushion Industrie s (CSI) <b>Model</b> <b>No.</b> Tred- Mor 2568 <b>Width:</b> 4'-6" <b>Content:</b> 100% Virgin Enriched SBR Synthetic Rubber <b>Length</b> <b>of Roll:</b> 60'-0"	SF	13954	10%	15349	0.090	\$ -	\$ -	\$ -	\$ -	\$ -

235		<b>C-09:</b> Walk Off Mat <b>Manufa</b> <b>cturer:</b> Mats Inc. <b>Model</b> <b>No.</b> Berber Vinyl Back <b>Colors:</b> Sterling <b>Size:</b> 6'- 10"Wx1 2'-6"L <b>Constru</b> <b>ction:</b> Walk off Matt	SF	172	10%	189	0.088	\$ -	\$ -	\$ -	\$ -	\$ -
236		<b>C-10:</b> Walk off Matt <b>Manufa</b> <b>cturer:</b> Mats Inc. <b>Model</b> <b>No.</b> Berber Vinyl Back <b>Colors:</b> Sterling <b>Size:</b> 7'- 7"Wx19'- 0"L <b>Constru</b> <b>ction:</b> Walk off Matt	SF	144	10%	158	0.088	\$ -	\$ -	\$ -	\$ -	\$ -

237	C-11: Area Rug <b>Manufa cturer:</b> Royal Thai <b>Model No.</b> H550 - Design in Progress <b>Colors:</b> (12) Colors <b>Size:</b> 34'- 4"Lx9'- 3.5"W <b>Constru ction:</b> Cut & Loop	SF	320	10%	352	0.052	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
238	3'-0" x 1'- 6" Concrete Roof Paver System @ Terrace <b>Note:</b> Details not given on Finish Plan; VIF	SF	1678	10%	1846	0.085	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -

239		G3	<b>SP-02:</b> Dance Floor System <b>Size:</b> 27'x 39' - (117) 36"x36" Panels <b>Manufacturer:</b> SnapLock Industries <b>Model Number:</b> Snaplock plus TM	SF	1055	10%	1161	0.120	\$ -	\$ -	\$ -	\$ -	\$ -
			<b>WALL BASE &amp; TRANSITIONS</b>						\$ -	\$ -	\$ -	\$ -	\$ -
240	-606-ID-6	G3	<b>T-02:</b> Bullnose Tiles <b>Size:</b> 2" x 24"; 10 mm Th <b>Manufacturer:</b> Ceramic Technics, LTD <b>Model Number:</b> Bari Marble Stone	LF	343	10%	377	0.090	\$ -	\$ -	\$ -	\$ -	\$ -

241	503, ID-60	G3	<b>T-06:</b> Cove Base; BOH <b>Size:</b> 6" x 12"; 9 mm Th <b>Manufa</b> <b>cturer:</b> Ceramic Technics , LTD <b>Model</b> <b>Number</b> : Porcelain Solutions U.S. Concrete	LF	99	10%	109	0.065	\$ -	\$ -	\$ -	\$ -	\$ -
242	ID-501.2	G3	<b>R-01:</b> Resilient Wall Base <b>Size:</b> 1/4" W x 4-1/4"H <b>Manufa</b> <b>cturer:</b> Tarkett Hospitali ty <b>Model</b> <b>Number</b> : Johnsoni te MW- XX-F Reveal 4- 1/4" Millwork Wall Base	LF	293	10%	322	0.065	\$ -	\$ -	\$ -	\$ -	\$ -
243	-200-ID-2	ID-001	<b>S-01:</b> Threshol d <b>Thickne</b> <b>ss:</b> 8- 1/2"	LF	196	10%	216	0.095	\$ -	\$ -	\$ -	\$ -	\$ -
244		ID-001	<b>S-02:</b> Threshol d <b>Thickne</b> <b>ss:</b> 8- 1/2"	LF	63	10%	69	0.095	\$ -	\$ -	\$ -	\$ -	\$ -

			<b>STAIR FINISH</b>						\$ -	\$ -	\$ -	\$ -	\$ -
245	<b>ID-500</b>	<b>G3</b>	<b>T-10:</b> Step Treads <b>Size:</b> 13" x 30" Rectified ; 10 mm Th <b>Model Number:</b> Bari Marble Stone <b>Manufacturer:</b> Ceramic Technics, LTD	SF	114	10%	125	0.100	\$ -	\$ -	\$ -	\$ -	\$ -
246		<b>G3</b>	<b>T-07:</b> Floor Tiles @ Riser <b>Size:</b> 30" x 30"; 10 mm Th <b>Model Number:</b> Bari Marble Stone <b>Manufacturer:</b> Ceramic Technics, LTD	SF	66	10%	73	0.100	\$ -	\$ -	\$ -	\$ -	\$ -
247			Stair Glaze by Architect	SF	80	10%	88	0.120	\$ -	\$ -	\$ -	\$ -	\$ -
			<b>CEILINGS</b>						\$ -	\$ -	\$ -	\$ -	\$ -
			<b>GWB CEILING:</b>						\$ -	\$ -	\$ -	\$ -	\$ -
248			1/2" Gyps	SF	16940	10%	18634	0.040	\$ -	\$ -	\$ -	\$ -	\$ -
249			1/2" Gyps	SF	1322	10%	1454	0.040	\$ -	\$ -	\$ -	\$ -	\$ -
250		<b>ID-600</b>	1/2" Gyps	SF	10218	10%	11240	0.040	\$ -	\$ -	\$ -	\$ -	\$ -
251			WD-01: 1	SF	377	10%	415	0.095	\$ -	\$ -	\$ -	\$ -	\$ -

252	-400-ID-4	<b>CT-01:</b> Ceiling Tiles <b>Size:</b> 24 x 24 x 3/4 <b>Model Number</b> : Item # 35421511; Ecophon Focus Ds, Ds XL <b>Manufacturer:</b> CertainTeed, Inc	SF	2313	10%	2544	0.105	\$ -	\$ -	\$ -	\$ -	\$ -
253		<b>ID-600</b> 8" Wide Drapery Pocket w/ Corner Beads	LF	54	10%	59	0.125	\$ -	\$ -	\$ -	\$ -	\$ -
		<b>&amp; CROWN MOLDING</b>						\$ -	\$ -	\$ -	\$ -	\$ -
254		<b>G3</b> <b>MO-01:</b> Base Molding <b>Size:</b> 3/4" D x 9 1/4" H <b>Manufacturer:</b> Bid Source	LF	1624	10%	1787	0.075	\$ -	\$ -	\$ -	\$ -	\$ -
255		<b>G3</b> <b>MO-02:</b> Crown Molding <b>Size:</b> 8" D x 1 1/2" H <b>Manufacturer:</b> Bid Source	LF	594	10%	653	0.102	\$ -	\$ -	\$ -	\$ -	\$ -



256		<b>G3</b>	<b>MO-03:</b> Crown Molding <b>Size:</b> 6 1/2" D x 8 1/2" H <b>Manufa cturer:</b> Outwater Plastics Industrie s, Inc. <b>Model Number</b> : ZZ- C990	LF	1253	10%	1378	0.098	\$ -	\$ -	\$ -	\$ -	\$ -
257		<b>G3</b>	<b>MO-04:</b> Crown Molding <b>Size:</b> 3 3/8" D x 3 3/8" H <b>Manufa cturer:</b> Outwater Plastics Industrie s, Inc. <b>Model Number</b> : CX 126	LF	325	10%	357	0.060	\$ -	\$ -	\$ -	\$ -	\$ -
258		<b>G3</b>	<b>MO-05:</b> Edge Molding <b>Size:</b> 2" x 2" <b>Manufa cturer:</b> Bid Source <b>Model Number</b> : Solid Pine outside Corner Molding	LF	803	10%	883	0.045	\$ -	\$ -	\$ -	\$ -	\$ -

259		<b>G3</b>	<b>MO-07:</b> Crown Molding <b>Size:</b> 3 1/2" D x 5" H <b>Manufa cturer:</b> Bid Source	LF	795	10%	875	0.060	\$ -	\$ -	\$ -	\$ -	\$ -
260		<b>G3</b>	<b>WD-02:</b> S	LF	1624	10%	1786	0.030	\$ -	\$ -	\$ -	\$ -	\$ -
261		<b>G3</b>	<b>M-01:</b> Accent Paint <b>Size:</b> 48" x 120" <b>Model Number</b> : Fused Metal; White Gold <b>Manufa cturer:</b> Bid Source	LF	1560	10%	1716	0.098	\$ -	\$ -	\$ -	\$ -	\$ -
			<b>WALLS</b>					.	\$ -	\$ -	\$ -	\$ -	\$ -
262		<b>G3</b>	<b>T-03:</b> Wall Tiles <b>Size:</b> 16" x 32"; 9 mm Th <b>Model Number</b> : Sassuolo Dimensi onal Surfaces <b>Manufa cturer:</b> Ceramic Technics , LTD	SF	1204	10%	1324	0.100	\$ -	\$ -	\$ -	\$ -	\$ -

263	<b>W-01:</b> Wall Covering <b>Model #:</b> A193-008 Crush <b>Color:</b> White Gold Mylar <b>Width:</b> 52/54"	SF	1568	10%	1725	0.085	\$ -	\$ -	\$ -	\$ -	\$ -
264	<b>W-04:</b> Wall Covering @ Restrooms <b>Model #:</b> AZ5347 4DL Demi-Tone Linen <b>Color:</b> Metered White <b>Width:</b> 54"	SF	2548	10%	2803	0.085	\$ -	\$ -	\$ -	\$ -	\$ -
265	<b>W-05:</b> Wall Covering <b>Model #:</b> Y47929 FM Fresh Mesh <b>Color:</b> Pale Ash <b>Width:</b> 54"	SF	789	10%	868	0.085	\$ -	\$ -	\$ -	\$ -	\$ -

266	500-ID-60	<b>W-06:</b> Wall Covering <b>Model #:</b> LYR 3381 Lyra <b>Color:</b> Slate <b>Width:</b> 52"	SF	42	10%	46	0.085	\$ -	\$ -	\$ -	\$ -	\$ -
267		<b>W-07:</b> Wall Covering @ Coat Room & Office <b>Model #:</b> Y47688 WC Watercol or Canvas <b>Color:</b> Ivory <b>Width:</b> 54"	SF	2246	10%	2471	0.085	\$ -	\$ -	\$ -	\$ -	\$ -
268		<b>W-08:</b> Wall Covering @ Bride & Groom Room <b>Model #:</b> Y47414 MC Marco <b>Color:</b> Pebble <b>Width:</b> 54"	SF	774	10%	851	0.085	\$ -	\$ -	\$ -	\$ -	\$ -

269		<b>W-09:</b> Wall Covering @ Bride & Groom Restroo m <b>Model #:</b> Y45284 MC Marco <b>Color:</b> Pewter <b>Width:</b> 54"	SF	378	10%	416	0.085	\$ -	\$ -	\$ -	\$ -	\$ -
270		<b>G3</b> <b>WD-01:</b> V	SF	1668	10%	1835	0.092	\$ -	\$ -	\$ -	\$ -	\$ -
271		<b>G3</b> <b>WD-02:</b> S	LF	1490	10%	1639	0.018	\$ -	\$ -	\$ -	\$ -	\$ -
272		<b>G3</b> <b>SS-01:</b> Solid Surface <b>Model Number</b> : Caesarst one 1141 <b>Manufa cturer:</b> Bid Source	SF	134	10%	147	0.120	\$ -	\$ -	\$ -	\$ -	\$ -
		(Note: Wall Covering Material Details and Specifica tions are not given In Provided Plan. Please Confirm And VIF.)						\$ -	\$ -	\$ -	\$ -	\$ -
		<b>PAINTING</b>						\$ -	\$ -	\$ -	\$ -	\$ -

273		<b>G3</b>	<b>P-01:</b> Ceiling Paint <b>Model Number</b> : OC- 149 <b>Manufa cturer:</b> Benjami n Moore & Co.	SF	31374	10%	34512	0.030	\$ -	\$ -	\$ -	\$ -	\$ -
274		<b>G3</b>	<b>P-02:</b> Accent Paint <b>Model Number</b> : OC-26 <b>Manufa cturer:</b> Benjami n Moore & Co.	SF	5724	10%	6296	0.024	\$ -	\$ -	\$ -	\$ -	\$ -
275		<b>G4</b>	<b>P-03:</b> Stain <b>Manufa cturer:</b> Bid Source	SF	2427	10%	2670	0.020	\$ -	\$ -	\$ -	\$ -	\$ -
276		<b>G3</b>	<b>P-04:</b> Moisture Resistant Paint <b>Model Number</b> : OC-26 <b>Manufa cturer:</b> Benjami n Moore & Co.	SF	283	10%	311	0.028	\$ -	\$ -	\$ -	\$ -	\$ -
277		<b>G4</b>	<b>P-05:</b> Moisture Resistant Paint <b>Model Number</b> : OC- 149 <b>Manufa cturer:</b> Benjami n Moore & Co.	SF	172	10%	189	0.028	\$ -	\$ -	\$ -	\$ -	\$ -

278		<b>G3</b>	<b>P-06:</b> Paint at Metal Frame <b>Model Number</b> : 2111- 40 <b>Manufa cturer:</b> Benjami n Moore & Co.	SF	1005	10%	1106	0.028	\$ -	\$ -	\$ -	\$ -	\$ -
279		<b>G3</b>	<b>P-07:</b> Paint at Metal Frame <b>Model Number</b> : 2111- 40 <b>Manufa cturer:</b> Benjami n Moore & Co.	SF	260	10%	286	0.034	\$ -	\$ -	\$ -	\$ -	\$ -
280		<b>G3</b>	<b>P-08:</b> Dome Paint <b>Model Number</b> : EM1027 68; EnviroM etal <b>Manufa cturer:</b> Scuffmas ter	SF	350	10%	385	0.035	\$ -	\$ -	\$ -	\$ -	\$ -
			<b>TERIOR FINISH</b>						\$ -	\$ -	\$ -	\$ -	\$ -

281		<b>Finish Plan Tag:</b> EIFS-1 <b>Description:</b> R-75 2" Rigid Insulation EIFS System w/ Drainage Plane System w/ Termination @ Outside Edge <b>Basis of Design:</b> Next, STO <b>Color/Finish:</b> White	SF	9188	10%	10107	0.065	\$ -	\$ -	\$ -	\$ -	\$ -
282		<b>Finish Plan Tag:</b> EIFS-2 <b>Description:</b> R-75 2" Rigid Insulation EIFS System w/ Drainage Plane System w/ Termination @ Outside Edge <b>Basis of Design:</b> Next, STO (Metallic Series) <b>Color/Finish:</b> Dark	SF	1213	10%	1334	0.065	\$ -	\$ -	\$ -	\$ -	\$ -



283	A101, A20 Plan Note	<b>Finish Plan Tag:</b> EIFS-3 <b>Description:</b> R-75 2" Rigid Insulation EIFS System w/ Drainage Plane System w/ Termination @ Outside Edge <b>Basis of Design:</b> Next, STO <b>Color/Finish:</b> Light Grey	SF	4034	10%	4437	0.065	\$ -	\$ -	\$ -	\$ -	\$ -
284		<b>Finish Plan Tag:</b> EIFS-4 <b>Description:</b> R-75 2" Rigid Insulation EIFS System w/ Drainage Plane System w/ Termination @ Outside Edge <b>Basis of Design:</b> Next, STO (Metallic Series) <b>Color/Finish:</b> Light	SF	3616	10%	3977	0.065	\$ -	\$ -	\$ -	\$ -	\$ -

285			<b>Finish Plan Tag:</b> BM-1 <b>Description:</b> Break Metal <b>Basis of Design:</b> Match CW-1/SF-1 Gauge, Color & Sheen <b>Color/Finish:</b> Aluminum	SF	91	10%	100	0.100	\$ -	\$ -	\$ -	\$ -	\$ -
286			1" Reveal	LF	249	10%	274	0.032	\$ -	\$ -	\$ -	\$ -	\$ -
287			2"H x 3/4"	LF	3668	10%	4035	0.032	\$ -	\$ -	\$ -	\$ -	\$ -
288	A325	Plan Note	2 1/4" Thk. Proguard TP Insulated Concrete Board	SF	5481	10%	6029	0.045	\$ -	\$ -	\$ -	\$ -	\$ -
289	A201, A203 / A331		8"D EIFS Accent Band	LF	922	10%	1015	0.032	\$ -	\$ -	\$ -	\$ -	\$ -
<b>SUBTOTAL</b>												\$ -	